Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#				Operator		
S1	1	("20020116336").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/13 10:27
S2	2	(("20020116336") or ("20020120687")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/13 10:30
S3	17	(("5,544,321") or ("5,812,865") or ("6,301,609") or ("6,310,632") or ("6,366,962") or ("6,463,471") or ("6,539,421") or ("6,549,937") or ("6,563,340") or ("20010042126") or ("20020116336") or ("20020116461") or ("20020120687") or ("20020187781") or ("20030014488") or ("20030028621")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/13 10:47
S4	0	"klemoder".in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 10:47
S5	0	klemoder.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 10:49
S6	11155	@pd="20011220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 10:48
S7	0	S6 and klemoder.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 10:49
S8	20366	SIP or session initiation protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:03

	1		r		·	T
S9	3	S3 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:03
S10	25013	((707/1,9,10,100,102) or (709/204, 206,227,228)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 11:13
S11	477	S8 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:13
S12	220382	(subsrib\$3 or register\$3) with (device or user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:13
S13	224	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:14
S14	139	S13 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S15	9552407	presence or context or availab\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:19
S16	20011	S12 same S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2006/03/13 11:15

			·			
S17	896	S10 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:15
S18		S8 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:15
S19	68	S18 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:15
S20	902806	(presence or context or availab\$5 or status) with (device or user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 11:20
S21	20005	S12 same S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:55
S23	20366	SIP or session initiation protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:55
S24	1742	S23 same register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:59
S25	452	S24 same associat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:59

S26	220382	(subsrib\$3 or register\$3) with (device or user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:59
S27	902806	(presence or context or availab\$5 or status) with (device or user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:59
S28	20005	S26 same S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 14:59
S29	44	S25 same S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:00
S30	28	S29 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:11
S31	1791	(unregistered or un-registered) with (user or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:18
S32	2	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:09
S33	0	"not" registered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:11

S34	36776318	not registered	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:11
S35	0	"not registered"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:11
S36	2317	(unregistered or un-registered or non-registered or nonregistered) with (user or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 15:19
S37	3	S30 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:06
S38	0	("2003015820").PN.	US-PGPUB	OR	OFF	2006/03/13 17:06
S39	1	("20030015820").PN.	US-PGPUB	OR	OFF	2006/03/13 17:07
S40	0	("2003015820").PN.	US-PGPUB	OR	OFF	2006/03/13 17:07
S41	0	("2003015820").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 17:07
S42	1	("20030105820").PN.	US-PGPUB	OR	OFF	2006/03/13 17:11
S43	3	(("20030120805") or ("6658095") or ("20050044143")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/13 17:16
S44	130187	(aware of or see) with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:17

S45	21	(US-20030028621-\$ or US-20020187781-\$ or US-20020120687-\$ or US-20020116461-\$ or US-20020116336-\$ or US-20010042126-\$ or US-20030014488-\$ or US-20040125941-\$ or US-20030217099-\$ or US-20030147378-\$ or US-20030105820-\$ or	US-PGPUB; USPAT	ADJ	ON	2006/03/13 17:17
		US-20050044143-\$ or US-20030120805-\$).did. or (US-6549937-\$ or US-6463471-\$ or US-6366962-\$ or US-6301609-\$ or US-5812865-\$ or US-5544321-\$ or US-6658095-\$).did.				
S46	0	S35 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:17
S47	153363	(aware of or see or know) with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:17
S48	3	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:18
S49		S47 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/13 17:18

S50	21	(US-20030028621-\$ or US-20020187781-\$ or US-20020120687-\$ or US-20020116461-\$ or US-20020116336-\$ or US-20010042126-\$ or US-20030014488-\$ or US-20040125941-\$ or US-20040122895-\$ or US-20030147378-\$ or US-20030147378-\$ or US-20030147378-\$ or US-20030120805-\$).did. or (US-6549937-\$ or US-6463471-\$ or US-6366962-\$ or US-5544321-\$ or US-6658095-\$).did.	US-PGPUB; USPAT	ADJ	ON	2006/03/14 14:13
S51	20378	SIP or session initiation protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2006/03/14 14:13
S52	9	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 17:35
S53	518	(379/93.01).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 17:36
S54	18	S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:03
S55	5	S50 and wife	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:05

			1			
S56	32	true availability	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:07
S57	480649	(user or device) with (available or availability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:08
S58	4996	S57 same rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:08
S59	138021	(user or identity) with (available or availability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S60	663	S59 same rule same device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S61	4309	media channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S62	105	S61 with (available or availability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S63	3	S60 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09

S64	8	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:09
S65	1	S64 and @ad<"20030929"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:10
S66	51	S60 same (presence or context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/14 18:10
S67	21	(US-20030028621-\$ or US-20020187781-\$ or US-20020120687-\$ or US-20020116461-\$ or US-20020116336-\$ or US-20010042126-\$ or US-20030014488-\$ or US-20040125941-\$ or US-20040122895-\$ or US-20030217099-\$ or US-20030147378-\$ or US-20030147378-\$ or US-20030120805-\$).did. or (US-6549937-\$ or US-6463471-\$ or US-6366962-\$ or US-5544321-\$ or US-6658095-\$).did.	US-PGPUB; USPAT	ADJ	ON	2006/03/15 11:14
S68	13	S67 and rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 11:37
S69	1152	(705/51).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:37

S70	138021	(user or identity) with (available or availability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 11:38
S71	663	S70 same rule same device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 11:38
S72	545978	(status or state or presence or availability) with (updat\$3 or chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 20:46
S73	21	(US-20020116336-\$ or US-20020120687-\$ or US-20020116461-\$ or US-20030028621-\$ or US-20030014488-\$ or US-20030014488-\$ or US-20010042126-\$ or US-20030105820-\$ or US-20030120805-\$ or US-20030120805-\$ or US-20040125941-\$ or US-20040122895-\$ or US-20030147378-\$ or US-20030217099-\$).did. or (US-6549937-\$ or US-6463471-\$ or US-6366962-\$ or US-6301609-\$ or US-5812865-\$ or US-5544321-\$ or US-6658095-\$).did.	US-PGPUB; USPAT	ADJ	ON	2006/03/15 20:47
S74	20	S72 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 20:47